NH Public Utilities Commission

REC Aggregator Portal

NHPUC 2MAY 16PM 12:06

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

Existing Users CLICK HERE
Basic Information
Who is submitting this request?
Aggregator
Aggregator Batch Number
KE042916
Are you registered in NH
YesNo
Aggregator name
Knollwood Energy
NH Reg #
Aggregator Email
karenton@knollwoodenergy.com
Other Aggregator name
Other aggregator email address
Facility Name
Facility Owner Name
Rick Adams

Facility Owner email
rcaplus4@comcast.net
Owner Phone
603-767-6484
Facility Address
18 Chatfield Drive
Facility Town/City
Litchfield
Facility State
NH
Facility Zip
03052
Yes No Mailing Address
Mailing Town/City
Mailing State
Mailing Zip
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
karenton@knollwoodenergy.com

Other Email Address
Facility Information
Class
II CONTRACTOR OF THE PROPERTY
Utility
Eversource
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON76721
Date of Initial Operation
12/09/2015
Facility Operator Name, if applicable
Panel Make #1
SunEdison
Panel Model
Other
Panel Quantity
32
Panel Rated Output
270

More Panel types?

NoYes
Panel Make #2
Panel Model
Tarier Wooder
Panel Quantity
Panel Rated Output
More Panel types?
No
O Yes
Panel Make #3
Panel Model
Panel Quantity
Penal Petal Outrut
Panel Rated Output
System capacity based on panels
8640
Inverter Quantity
1
Inverter Make
Solar Edge
Add'l Inverter Quantity
NA
Additional Inverter Make
None

Rated Output - Primary Inverter
7600
Rated Output - Additional Inverter
System capacity based on single inverter make
7600
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
8.6
Revenue Grade Meter Make
Landis Gyr
Was this facility installed directly by the customer (no electrician involved)?
O Yes No
Electrician Name & Number
Other
Other Electrician Name & Number
First Mark Advantage 8651M
Installation Company
Other
Other Installation Company Name
First Mark Advantage
Other Inst. Company Address
PO Box 297
Other Inst. Company City
New Boston
Other Inst. Company State
NH

Other Inst. Company Zip
03070
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
YesNo
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-6669654_nACuZlbT_RAdams_COC_1.pdf
The project described in this application will meet the metering requirements of PUC 2506 including:
Electricity generation in megawatt hours shall be reported to the GIS quarterly with a
statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.
A revenue quality meter is used to measure the electricity generated.
The facility experted contified to the independent monitor that the mater energies
The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.
The meter shall be maintained according to the manufacturer's recommendations.
The project is installed and operating in conformance with applicable building codes.
A copy of the facility's interconnection agreement is attached.

https://fs30.formsite.com/jan1947/files/f-5-168-6669654_BJLluKZw_Rick_Adams_Agreement_part_3_-

Please attach additional document here

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-173-6669654_MIPeBtcE_RAdams_SPIA.pdf

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Kon Jon


Print Name

Karen Tonnesen

Date Signed

04/29/2016

#EVERYSOURGE EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA Simplified Process Interconnection Application and Service Agreement By.



Page Lof 4

Epitalini dobi

		PACKATER Approximation and section 2	
Contact Juformation:	e de la compania del compania del compania de la compania del compania del compania de la compania del compania		
Legal Name and Address of Interconn	equing Customer (or, Co	Ninpany name, if appropriate)	Dipper of A
	Richard Adams		
Contact Person, if Company		All de la contraction de la co	edal Diese
Mailing Address: 18 Chaifield Drive	12. Mingiply and 1927, 2		a. fraudrovy:
City: Linchtena	State: NH	Ip Code: 08062	50. 86/45 S
Telephone (Daytune) (603) 767-6484	Indicate Control of the Control of t	(Rvening)	7 200
Baosimile Number		F-Mail Address: readus 4@comcast.net	rania:
anisoto casa ca sa garaga a sa	terswit Tillians	ACTION TO SELECT THE SERVICE OF THE	goddol goddol
Altemative Contact Information (e	g., System installation e	contractor or coordinating company, if appropriate):	
Name: FirstMark Advantage, LLC			ONE VAL
Mailing Address: PO Box 297	etest a idea		
City New Boston	State: NH	Zip Code: 03070	
Colephone (Daytime): 612-7.14-0440		(Contraction of the contraction	ir met i
	accept the complete of the good.	1901/1709/00 (1907/1709) - Aleman Agricolom - George Ballion - La company de la company de la company de la co El reconstitut de la company de la compa	444-0
Jean (186) Transfer (1891)			
Value ErstMatt Advantage: LLC.			
Mailing Address: PO Box 297			igore)
City New Boston	State MA	Zin Code 03070	
Telephone (Daytime): 603-714-0440		(Evening)	
Fácsumile Nizmber		B-Mail Address: kevin@firstmarkachantage.com	100.21.72
	* ***** ***** ************************		MAZHE.
Facility Sife Information.			
Pacifity (Site) Address: 18 Chattield Driv		ALE	49-Y
City: Eichfield	State*	NH Zip Code: 03052	
Bleviño		ateratus i sensitas i	12:10,
Service Company: Eversource	Account Number	55627006073 Meter Number S71060050	ARKIN .
		nce electric bill and enter the correct Account Number and Met	er
duin ba r on this application. If the inci	lify is to be installed in a	a new location, please provide the Eversource Work Request m	mbei
		A CONTROL OF THE PROPERTY OF T	
w erso urce Work Request#		arterati in company existing extend and and a perform	A STANDARY
	ister viewe kar i misel de la residence	a popularamente dete deministrativo en del con en aplicado en aperta de la Companya de Com	The road
Competitive Electric		er of the control of	
Energy Supply Company:		Account Number:	. 1
	y Supply Gempany shoi	uld verify the Terms & Conditions of their contract with their E	nergy
tupply Company.)			
Average the last season and the last season of the option	Charles de la company de la co	na kasifi in hipe tangkili, in Kibese arradesi sa 12 7990.	
		The Control of the Co	124216/15
		the state of the s	
	J. 14	the transfer of the second section of the second title section is the second title section of the section of th	
	Jan yar	The first section of the attenual techniques of the attenual techniques of the	
		And the state of t	in the second

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Information: Generator/	Model Name &	
Inverter Manufacturer: Solar Edge	Number: SE7600A-US	Quantity: 1
Nameplate Rating: 188.35 (kW)	(kVA) (AC Volts)	Phase: Single Thise
Nameplate Rading: The AC Nameplate rading of the System Design Capacity: 18 5-35 (kW)	he judividual inverter.	ekup: Yes 🔲 No
System Design Capacity. The system total of the I sum of the AC numeplate ratings of all inverters.	merter AC ratings. If there are mu	ltiple inversers installed in the system, this is the
Net Metering: If Renewably Fueled, will the acco	unt be Net Metered? Yes 🔳	No 🗆
Prime Mover: Photovoltate Reciprocating	Engine Ruel Cell 7	urbine Other
Energy Source: Solar Wind Hydro	Diesel Natural Gas I	Fuel Oil Other
Inverter-based Generating Facilities: UL-1741 / IEEE 1547.1. Compliant (Refer To Part Yes No III	Puc 906 Campliquee Path For Lave	rter Units, Part Puc 906.01 Inverter Requirements)
The standard UL 1741. I dated May, 2007 or later Systems, "addresses the electrical interconnection submit their equipment to a Nationally Recognize term "Listed" is then marked on the equipment of the equipmen	design of various forms of general d Testing Laboratory (NRTL) that nent and supporting documen	ting equipment. Many mimufacturers choose to Verifies compliance with UL 1741, I. This tation. <i>Please include, any documentation</i>
External Manual Disconnect Switch: An External Manual Disconnect Switch shall be, i Interconnections For Facilities, Pac 905.01 Require Yes No.	ments For Missonned Switches and	905:02: Distainment Switch;
Location of External Manual Disconnect Switch:	Adjacent to existing utility mete	r
Project Estimated Install Date: Sep 2015:	Project Estimated	I in-Service Date: Sep 2015
Interconnecting Customer Signature: Liberary certify that, to the best of my knowledge and Conditions for Simplified Process Intercon		this application is true and I agree to the Terms
Customer Signature Richard Odd	1000 Julia Owner	Dalles 08/14/2015
Please include a one-line and/or three-line diagi point in relation to the customer service punct as returned.		
	For Eversource Use Only	
Approval to Install Facility:		
Installation of the Facility is approved contingent	upon the Terms and Conditions Fo	or Simplified Process Interconnections of this
Agreement, and agreement to any system modific	eations, if required.	
Are system modifications required? Yes	No To be Determined	
Company Signature:	m Tifle: /65	Saciate Date: 8/4/15
Evensemee SPIA.rev. 03/14	6	19 Reer Page 2014
TO S ASSESSMENT OF THE POST OF THE PARTY.		rage 20th

EVERSOURCE

Visite of the second se

INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives insp	ection/Witness Test:	Yes No	Da	te of inspection	/Witness Test:	
						 principal minimum of the principal of th

- 1. Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Evensource and Proceedings of the Evensource and Proceedings interconnection requirements, and does not convey any permissions or rights associated with permits, code colories ment, easierness, rights of way, see back, or other physical construction issues.
- Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1 Municipal Inspection: Open completing construction, the interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2 Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Night of Inspection. The Company will make every strengt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Pacility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be winess tested, unless waived by the Company.
- 4. Sale Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain; and repair the Facility.
- 5. Discouncetion. The Company may temporarily discouncet the Facility to facilitate planned or smergency Company work.
- 6. Metering and Billing. All renewable facilities approved under this Agreament that qualify for act metering, as approved by the Commission from time to time, and the following is measured to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards; in some cases the interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Tassalls Meter. The Campany will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion is inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification, interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffillated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence of willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Bach-party's hability to the other party for any loss, cost, claim, injure, liability, or expense, including reasonable attorney's fires, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually insurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever:
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 92. By Interconnecting Customer. The interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility laifs to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Eacility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA?" for the Interconnection of Sustance-Gunner-Gunner Generating Facilities, as approved by the Commission and as the same may be smended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

Eversource SPIA rev. 03/14

dards For Invertors Secol Up To 100 kVA

Commercial Company Name (print) Bighter	O Pictoria	
Contact Person, if Company,		
Making Address 18 Chartest Drive Circ _Litchfield		0.069
	State MH	Zip Code: 03052
Telephone (Daytime) (508) 369-7124		
Facultule Number		
Eacility Information: ->		rce Meter #
Address of Facility (if different from above)		
City	State	Zip Code
Electrical Contractor Contact Information:	Pinell And August 11 C	
Electrical Contractor's Name (if appropriate):	TRIMBIR ADVERTIGE, LLC	
Mailing Address PO Box 297		44478
City: New Boston	State: NH	Zip Code 03070
Telephone (Daytime) 603-714-0440	(Evening):	
Facsimile Number	E-Mail Address: ke	vin@firstmarkadvantage.com
icense number: 8651M		
tate of approval to install Facility granted by the	Company: 8/26/15	
versource Application ID number: EN 3926		
and solven and harmonical and distriction. The property of		
spection:	sempliance with the local Bui	Iding/Electrical Code of:
spection: se system has been installed and inspected in ce		
spection: e system has been installed and inspected in ce y: Litchfield	County: Hillsboro	ugh
spection: e system has been installed and inspected in co y: Litchfield ned (Local Electrical Wiging Inspector, or atta	County: Hillsboro	ugh
spection: to system has been installed and inspected in conv. Litchfield med (Local Electrical Wiging Inspector, or attainance. Mark Call	County: Hillsboro	on):
spection: se system has been installed and inspected in co y. Litchfield ned (Local Electrical Wiring Inspector, or atta nature: New Call	County: Hillsboro	ugh
spection: se system has been installed and inspected in co	County: Hillsboro	ugh ion):

Ca

I he Completion is true and correct. This system has been installed and shall be operated in compliance with applicable standards. Also, the initial start-up test required by Puc. 905.04 has been successfully completed.

Please remember to provide digital photos of the installation, including the AC disconnect switch (if required), the existing Eversource meter, the inverters, and the point of electrical interconnection.

ichard Customer Signature: #

As a condition of interconnection you are required to send/fax a copy of this form to:

Eversource

Distributed Generation

780 North Commercial Street

P. O. Box 330, Manchester, NH 03105-0330

Fax No.: (603) 634-2924

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Richard Adams	
Printed Name of signature owner	

Richard Adams (Apr 8, 2016)
Signature of system owner

Richard Holans